

Spyderco



The Multi-Tool Museum
www.multi-tool.org

2002

WELCOME TO THE WORLD OF **Spyderco**

"Quality is the Product of a Good Attitude"™

The name Spyderco is synonymous with quality. Every knife or sharpener we make is designed and manufactured with a single goal in mind, reliable high-performance.

When you hold a Spyderco in your hand you know you are holding quality. It is backed by more than 20 years of research and development to find the best possible steels and handle materials. It has been ergonomically designed to open easily and comfortably fit in your hand while cutting.

Our 2002 catalog is broken into specific usage sections. While a Spyderco knife will cut anything, some models are designed for specific cutting tasks. For that reason we have categorized our knives into the following sections:

Sharpeners- The sharpening section includes our Tri-Angle Sharpener and full-line of individual sharpening stones.

Everyday Carry/Novelty- Some are large, some small, regardless, the knives in this group are designed to be multi-functional for the cutting tasks you encounter daily.

Outdoor/Hunting/Fishing- Knives in this category have

proven themselves to be favorites with the outdoor enthusiasts. **Serving/Saving Professional-** This category lists the models of choice among those who serve, save and protect, including law enforcement, EMT, firemen and military personnel.

Martial Blade Craft- Knives in this section are designed for the practice of Martial Blade Craft, including self-protection, physical conditioning and control and coordination of the body.

Kitchen- The full line of Spyderco's Pro-Culinaire kitchen cutlery is shown here.

Promotional- A section of display and promotional items to help you better serve your customer.

Welcome to the world of Spyderco. The information provided here is intended to introduce you to Spyderco knives and the company. If you do not find the information you seek... call us. We are here to assist you, our valued customer.

The Spyderco Crew


Table of Contents

Sharpeners	1
Everyday Carry & Novelty	4
Outdoor, Hunting & Fishing	12
G. Sakai	15
Serving/Saving/Professional	16
Martial Blade Craft	20
Kitchen - Pro Culinaire	22
Promotional	24
Glossary	26
Edge-U-Cation, Care and Warranty	28
Product Indexes By Name & SKU	29

Tri-Angle Sharpmaker

204MF

When you need to get it sharp, the 204 is all you need. Spyderco's Tri-Angle Sharpmaker includes two sets of high alumina ceramic stones. There is a pair of medium grit (brown) for aggressive sharpening and a pair of fine (white) for professional grade finishing. Also included are a set of brass safety rods to protect the user's hand during sharpening. For sharpening plain edges, the flat sides of the stones are ideal. For serrated edges use the corners. The stones fit into keyed holes and slots molded into the polymer base and have a 40° and 30° sharpening angle for knives and 12.5° scissor setting. Each stone has a groove running its length for sharpening pointed objects like darts, awls and fishhooks. Everything packs neatly into the base and the lid snaps shut making the 204 self-contained and small enough to take with you. No oil, water or lubricants are required during use for dry, mess-free sharpening. Includes instruction book and video (available in VHS, PAL and SECAM).



Diamond Triangles

204D

NEW!

New for 2002 we have added, as a separately sold accessory, a set of diamond coated triangles.



Plain & Serrated Edges



Small & Shaped Knives



Large Knives



Scissors & Shears



Hatchets & Axes



Chisels & Tools



Carving Tools



Razors

In short, if its got an edge or a point the Tri-Angle Sharpmaker will keep it sharp for life!



Bench Stones

302

Available in three grits: fine, medium and ultra-fine. Because 302 benchstones are flat and broad they're highly effective for honing wide tools like plane irons, chisels and large blades. As with all Spyderco's ceramic sharpeners, the bench stones are used dry without oil or water. Each stone is sold separately and comes packaged in a rigid polymer storage case complete with non-skid rubber feet for tabletop use.



Model #	Stone Size	Medium Grit	Fine Grit	Ultra-Fine Grit	Type of Case
302M	2" x 8" x 1/2"	•			ABS Box
302F	2" x 8" x 1/2"		•		ABS Box
302UF	2" x 8" x 1/2"			•	ABS Box
303M	1" x 5" x 1/8"	•			Leather
303F	1" x 5" x 1/8"		•		Leather
303MF	1" x 5" x 1/4"	•	•		Leather
305M	1 15/16" x 3 1/4" x 1/4"	•			Leather

Pocket Stones

303 & 305M

Portable and versatile, Spyderco manufactures a variety of small pocket stones for field use and for honing small items. Each stone is sold separately, packaged in a leather carrying case and is sterilization/autoclave safe (great for dental tool sharpening).



The 303MF DoubleStuff is made up of both grit stones, sandwiched together with a bonding agent combining the best of both worlds.

The 305 Pocket Stone is available in medium grit only. The 305 stubby stone is Spyderco's smallest ceramic sharpener. You can take it anywhere.



The 303 Pocket Stone is palm-sized and sold individually in a medium or fine grit.

Ceramic Files

400F

Whether you're a jeweler, gunsmith or dental assistant these small stones fit the bill for detailed sharpening. Available in four distinct shapes (fine grit only): Round, square, triangular and slip. Stones are sold individually packaged in a plastic tube, or as a set of four in a snap-front suede pouch.

Model #	Stone Size	Medium Grit	Fine Grit	Type of Case
400F	5" x 1/4"		•	Leather



Round



Square



Triangular




Slip



ProFile

701

Available in both fine and medium grits, ProFile stones sharpen knives, darts, and router bits. They also work wonders when de-burring machined items. The elliptical shape translates into four distinct sharpening surfaces, a flat surface and large radius for plain edges, a small radius for serrated edges and a groove for pointed tips. Includes instructions and suede leather pouch. The two grits are sold individually or can be purchased as a pair.



ProFile

702

A half-sized version of the 701 Profile stones, available in both fine and medium grits. These 4 inch stones are your best friend for use outdoors, in the field, or the range. Tucked away in a jacket pocket, tackle box or backpack they feature an elliptical shape with four defined sharpening surfaces. No more excuses for dull fishhooks, knives, axes and other outdoor gear. The 702 outdoor pocket stones are sold separately or as a set packaged in a split leather case.

Model #	Stone Size	Med. Grit	Fine Grit	Type of Case
701MF	3/4" x 8" x 1/4"	•	•	Leather
701M	3/4" x 8" x 1/4"	•		Leather
701F	3/4" x 8" x 1/4"		•	Leather
702MF	3/4" x 4" x 1/4"	•	•	Leather
702M	3/4" x 4" x 1/4"	•		Leather
702F	3/4" x 4" x 1/4"		•	Leather



EVERYDAY CARRY NOVELTY

Dragonfly

C28BK

This is a great little knife with a lot of cutting power. It's ergonomically designed with a comfortable choil for your forefinger and a spine rest for the thumb. Makes an ideal everyday carry for ladies or gents.

- Flat ground blade in AUS-8 steel.
- Available in PlainEdge or SpyderEdge.
- Handle is black FRN with volcano grip texture.
- Integral clip provides tip up carry.



Dragonfly C28BK	
Blade Steel.....AUS-8	Length Blade.....2 5/16" 58mm
Blade Thickness.....3/32" 2.4mm	Length Closed.....3 1/4" 82mm
Diam. Blade Hole.....7/16" 11mm	Length Cutting Edge.....1 7/8" 48mm
Edge Type...SpyderEdge, PlainEdge	Length Overall.....5 7/16" 138mm
Weight.....1.2oz 33g	

Dragonfly SS

C28

This slightly heftier Dragonfly is all stainless steel. Every bit as ergonomic as the lightweight it too is a great everyday carry. Easily engraved or embellished it becomes a favorite gift for the person who thinks they have everything.

- Blade is flat ground ATS-55.
- Available in both PlainEdge and SpyderEdge.
- Metal clip is positioned for tip up carry.



Dragonfly SS C28	
Blade Steel.....ATS-55	Length Blade.....2 5/16 58mm
Blade Thickness.....3/32" 2.5mm	Length Closed.....3 7/32 82mm
Diam. Blade Hole.....7/16" 11mm	Length Cutting Edge.....1 7/8" 48mm
Edge Type...SpyderEdge, PlainEdge	Length Overall.....5 7/16" 138mm
Weight.....2.6oz 73g	

Cricket

C29BK

This little oval shaped knife is a favorite with everyone because it's so handy. Small and cute with a reverse "S" blade it is great for delicate cuttings jobs and craft projects. It is small enough to clip to a shirt collar, use as a tie tack, or a money clip.

- Hollow ground blade is ATS-55 steel.
- Linerlock locking system.
- Available in both PlainEdge and SpyderEdge.
- Black FRN volcano grip patterned handle.
- Metal pocket clip for tip down carry.



Cricket C29BK	
Blade Steel.....ATS-55	Length Blade.....1 7/8" 48mm
Blade Thickness.....5/64" 2mm	Length Closed.....2 3/4" 70mm
Diam. Blade Hole.....7/16" 11mm	Length Cutting Edge.....1 11/16" 43mm
Edge Type...SpyderEdge, PlainEdge	Length Overall.....4 11/16" 117mm
Weight.....1.25oz 36g	

Dyad Jr.

C39BK

Spyderco upgrades grandpa's old-time two bladed pocketknife to a one-hand opener with our Dyad Jr. One blade is a hollow-ground, fully serrated Sheepfoot style, the other is a flat ground clip-point, giving you five inches of cutting power in two blades. It doesn't have a clip but this powerful little knife takes up very little room in your pocket.

- Two blades of ATS-55 steel that open independently.
- Each blade has its own locking mechanism.
- Each blade has its own opening hole.
- Black FRN handle with volcano grip texture.
- No clip.

Dyad Jr. Lightweight C39BK	
Blade Steel.....ATS-55	Length Blade.....2 1/4" 58mm
Blade Thickness.....5/64" 2mm	Length Closed.....3 3/32" 79mm
Diam. Blade Hole.....3/8" 10mm	Length Cutting Edge...2 1/8" 54mm, 2 3/16" 59mm
Edge Type...SpyderEdge, PlainEdge	Length Overall.....5 5/8" 143mm
Weight.....1.5 oz 42.5g	



Not intended to be used with both blades open.



Native C41BK

The Native is specifically engineered for the human hand to maximize cutting ability and minimize user fatigue and discomfort. The FRN handle is textured in a bi-directional pattern designed to prevent forward or backward slipping. Added to that is a deep finger choil and textured blade spine for controlled and comfortable cutting. A swedge grind along the top of the blade reduces the overall weight of the knife. Model is manufactured in both Seki City, Japan and Golden, CO USA.

- The blade steel is VG-10 (Japanese manufacture) or CPM440V (US manufacture).
- The black metal clip is ambidextrous and positions the knife for tip-up carry.
- The C41 is available in a PlainEdge or 35/65 combo.

Native C41	
Blade Steel.....VG-10/CPM440V	Length Blade.....3 1/8" 80mm
Blade Thickness.....1/8" 3mm	Length Closed.....3 15/16" 100mm
Diam. Blade Hole...15/32" 12mm	Length Cutting Edge...2 5/8" 66mm
Edge Type.....PlainEdge, 35/65	Length Overall.....7" 179mm
Weight.....2.4oz 69g	



Native SS C41

The all stainless steel C41 Native SS has all the ergonomics of its lightweight cousin. A favorite gift knife, the stainless steel handle invites engraving or embellishment to make it even more special.

- Blade is hollow-ground AUS-10 steel.
- Available in PlainEdge and 50/50 combination.
- Metal clip is ambidextrous for a tip up carry.

Native SS C41	
Blade Steel.....AUS-10	Length Blade.....3 1/8" 80mm
Blade Thickness.....1/8" 3mm	Length Closed.....3 15/16" 100mm
Diam. Blade Hole...15/32" 12mm	Length Cutting Edge...2 5/8" 66mm
Edge Type.....PlainEdge, 50/50	Length Overall.....7" 178mm
Weight.....4.6oz 131g	



Howard Viele C42

Sleek, polished and sophisticated is the only way to describe this collaboration with renowned knifemaker Howard Viele. The tapered hollow ground blade sports Howard's signature logo of three small holes over the symbol of the Japanese God of War. It features a traditional linerlock and also has an eccentric pivot pit.

- Blade steel is hollow-ground VG-10.
- Handle is black Micarta overlaid on stainless steel.
- Available in PlainEdge and SpyderEdge.
- Metal clip provides a low tip down carry.

Howard Viele C42	
Blade Steel.....VG-10	Length Blade.....3 3/8" 86mm
Blade Thickness.....1/8" 3mm	Length Closed.....4 7/16" 113mm
Diam. Blade Hole...11/32" 9mm	Length Cutting Edge...3 1/4" 82mm
Edge Type...SpyderEdge, PlainEdge	Length Overall.....7 3/4" 197mm
Weight.....3.8oz 109g	



EVERYDAY CARRY NOVELTY


Peter Herbst

C53

Spyderco's first collaboration with a German knifemaker, the Peter Herbst makes an ideal everyday carry knife. It combines a linerlock with stylish European tradition and sleek modernism.

- Blade is hollow ground VG-10 steel.
- Handle material is Almite coated aluminum with a unique grooved pattern.
- Available in PlainEdge only.
- All metal clip is right handed and carries tip down.

Peter Herbst C53	
Blade Steel.....	VG-10
Blade Thickness.....	1/8" 3mm
Diam. Blade Hole.....	7/16" 11mm
Edge Type.....	SpyderEdge, PlainEdge
Weight.....	4 oz 113g
Length Blade.....	3 1/16" 72mm
Length Closed.....	4 3/32" 104mm
Length Cutting Edge.....	2 7/8" 72mm
Length Overall.....	7 5/32" 182mm



Tim Zowada

C56

Reminiscent of the archetypal dirk, the C56, designed by custom knifemaker Tim Zowada, has a prominent unsharpened top swedge, hollow ground spear point blade and a linerlock. The knife's tapered look is enhanced by the downsized hole and coffin shaped handle of bead-blasted Micarta.

- The blade steel is hollow-ground VG-10.
- Available in PlainEdge.
- Black metal clip with gold bug provides tip down right handed carry.
- Batch item only, availability subject to demand.

Tim Zowada C56	
Blade Steel.....	VG-10
Blade Thickness.....	1/8" 3mm
Diam. Blade Hole.....	2 1/64" 8.5mm
Edge Type.....	PlainEdge
Weight.....	3.1oz 88g
Length Blade.....	3 3/16" 81mm
Length Closed.....	4 7/16" 113mm
Length Cutting Edge.....	3" 76mm
Length Overall.....	7 11/16" 195mm



D'Alton Holder Toad

C57

The C57 Toad is the smallest knife in the Spyderco line. It is small but it is packed with features. It has a linerlock, traditional hole in the blade and an Almite coated aluminum handle. This socially acceptable little knife makes a great gift not to mention money clip.

- Blade steel is AUS-8
- Available in PlainEdge.
- Metal clip gives a right handed tip down carry.
- Batch item only, availability subject to demand.

D'Alton Holder Toad C57	
Blade Steel.....	AUS-8
Blade Thickness.....	1/8" 3mm
Diam. Blade Hole.....	11/32" 9mm
Edge Type.....	PlainEdge
Weight.....	1.8oz 52g
Length Blade.....	1 7/16" 35mm
Length Closed.....	2 9/16" 65mm
Length Cutting Edge.....	1 7/16" 35mm
Length Overall.....	4" 102mm



Eduard Bradichansky Shabaria

C59

Israeli
knifemaker

Eduard Bradichansky introduced us to this definitely different looking knife. The Shabaria is reminiscent of the fix bladed knives carried for centuries by the Nomadic people of the Jordan River Valley. Shabaria refers to the shape of the blade which has been used for everything from utility cutting to self defense. Made of black lustrous Micarta, the hourglass shape of the handle is amazingly comfortable in the hand and has a linerlock.

- Blade steel is hollow-ground VG-10.
- Available in PlainEdge.
- Black metal clip with gold bug provides tip down, right hand carry.
- Batch item with availability as demanded.

Eduard Bradichansky Shabaria C59	
Blade Steel.....VG-10	Length Blade.....3 13/16" 97mm
Blade Thickness.....3/32" 2.5mm	Length Closed.....4 13/16" 122mm
Diam. Blade Hole.....15/32" 12mm	Length Cutting Edge 3 11/16" 93mm
Edge Type.....PlainEdge	Length Overall.....8 5/8" 219mm
Weight.....3.33oz 94g	

Navigator

C62

This attractive knife is small, socially acceptable and lightweight but can still handle serious cutting jobs. It feels comfortable in your hand, thanks to the ergonomics we designed in to it. Above the hole is a crown/cusp that gives your thumb stable positioning. The handle is sculpted for your hand and fingers to fall into the "sweet spots" for a balanced grip. We removed weight and added style by cutting slots in the gunmetal blue Almite coated handle. This is definitely an everyday carry.

- Blade is hollow ground VG-10 steel.
- Available in PlainEdge and fully serrated SpyderEdge.
- Metal clip provides right handed tip down carry.

MeerKat

C64

Once you discovered how to close the MeerKat you won't let it out of your hand. Your fingers and thumb fall into the divots we designed into the handle making it easy to master. Just in case, we put instructions in the box. Releasing the Phantom Lock™ by pushing your thumb forward allows the blade to fall into place in the handle. It's a handy little knife to have with you for those everyday cuts. It's available in two blade styles, a modified drop point and a reverse "S" (Cricket-like).

- Blades are hollow ground 440C or AUS-6 steel.
- Handle is textured black FRN with finger divots.
- Available in PlainEdge and SpyderEdge.
- New wire clip is ambidextrous and carries tip down.

MeerKat C64	
Blade Steel.....440C/AUS-6	Length Blade.....1 15/16" 50mm
Blade Thickness.....3/32" 2.2mm	Length Closed.....3 5/16" 83mm
Diam. Blade Hole.....15/32" 12mm	Length Cutting Edge.....1 5/8" 42mm
Edge Type.....SpyderEdge, PlainEdge	Length Overall.....5 1/4" 133mm
Weight.....2.2oz 62g	

Navigator C62	
Blade Steel.....VG-10	Length Blade.....2 1/8" 54mm
Blade Thickness.....1/8" 3mm	Length Closed.....3 5/16" 84mm
Diam. Blade Hole.....1/2" 12mm	Length Cutting Edge.....1 13/16" 47mm
Edge Type.....SpyderEdge, PlainEdge	Length Overall.....5 3/8" 137mm
Weight.....2oz 56g	

EVERYDAY CARRY NOVELTY

NEW!



Bob Lum Chinese Folder

C65

The leaf shape blade has long been used in China for everything from general utility to hunting and tactical applications. Bob Lum merges this interesting blade shape with some very modern features like a nested linerlock and an adjustable eccentric pivot pin.

- Blade steel is flat ground VG-10.
- Aluminum handle is Almite coated in Imperial Jade Green.
- Available in PlainEdge or SpyderEdge.
- Pre-drilled holes allow metal clip to be positioned for a tip up or tip down carry.



Bob Lum Chinese Folder C65			
Blade Steel	VG-10	Length Blade	3 3/16" 80mm
Blade Thickness	1/8" 3mm	Length Closed	4 1/4" 106mm
Diam. Blade Hole	15/32" 12mm	Length Cutting Edge	2 15/16" 74mm
Edge Type	PlainEdge, SpyderEdge	Length Overall	7 3/16" 183mm
Weight	2.75oz 77g		

Frank Centofante Vesuvius

C66

One of the first knives to feature our Compression Lock, the Vesuvius, designed by custom knifemaker Frank Centofante is an attractive yet practical everyday carry. Whether you prefer the subtle, classy black FRN handle with gripping grooves accented by a silver bug or the flashier shell inlay you'll agree that this knife will handle all your cutting needs.

- Blade is hollow-ground ATS-34 steel.
- Handle is black FRN with a silver bug or blue inlaid shell.
- Available in PlainEdge, SpyderEdge or 50/50 combination.
- Black metal clip allows for right hand, tip up or tip down carry.
- Made in our Golden, Colorado plant.



Frank Centofante Vesuvius C66			
Blade Steel	ATS-34	Length Blade	3 1/8" 79mm
Blade Thickness	3/32" 2.5mm	Length Closed	4 1/2" 114mm
Diam. Blade Hole	1/2" 13mm	Length Cutting Edge	3 1/8" 79mm
Edge Type	PlainEdge 50/50	Length Overall	7 9/16" 192mm
Weight	3.4oz 96g		

EVERYDAY CARRY

NOVELTY

Salsa

C71

We designed the Salsa for those who need a little color in their knife. The size and shape is small, comfortable and will do everyday cutting jobs with ease. New for 2002 we are introducing the Cobra Hood™ on the back of the hump making it even easier to open our knives. For added spice, this knife is available in an all titanium handle with an integral Compression Lock, or with an aluminum handle in three anodized colors, blue, green and tan with a nested Compression Lock.

- Blade steel is ATS-34 on the titanium model and AUS-8 on the aluminum.
- Handles are titanium or anodized aluminum.
- Available in SpyderEdge and PlainEdge.
- New wire clip on aluminum handle is ambidextrous for tip up carry.



Salsa C71	
Blade Steel.....ATS-34	Length Blade.....2 7/16" 63mm
Blade Thickness.....1/8" 3mm	Length Closed.....3 1/2" 89mm
Diam. Blade Hole.....9/16" 14mm	Length Cutting Edge...2 3/16" 56mm
Edge Type.....PlainEdge 50/50	Length Overall.....5 15/16" 152mm
Weight.....3.5oz 99g	



Salsa C71	
Blade Steel.....AUS-8	Length Blade.....2 7/16" 63mm
Blade Thickness.....1/8" 3mm	Length Closed.....3 1/2" 89mm
Diam. Blade Hole.....9/16" 14mm	Length Cutting Edge...2 3/16" 56mm
Edge Type.....PlainEdge 50/50	Length Overall.....5 15/16" 152mm
Weight.....2.7oz 75g	

Ladybug

LBK & LBKII

The Ladybug is a mini-lockback knife perfect for your keychain, pocket or purse. It is clipless with an FRN handle in red, blue or black. The combination PlainEdge and SpyderEdge will surprise you with its cutting ability. The LBKII comes in black only with a fully serrated sheepfoot blade.



LadyBug LBK, LadyBugII LBKII	
Blade Steel.....AUS-6	Length Blade...1 15/16" 48mm, 1 7/8" 48mm
Blade Thickness.....5/64" 2mm	Length Closed.....2 1/2" 64mm
Diam. Blade Hole.....9/32" 7mm	Length Cutting Edge 1 3/4" 44, 1 5/8" 42mm
Edge Type.....50/50, SpyderEdge	Length Overall.....4 5/16" 109mm
Weight.....0.5 oz 16g, 0.6oz 16g	

EVERYDAY CARRY NOVELTY



Jester

JBK

Say hello to Jester, our new mini lockback. Carry it on your keychain, in your purse or pocket. It will take care of those pesky little every day cuts. Surprisingly comfortable in your hand, we added texture on the spine near the tip and just behind the hole to assist you with the intricate cuts required for craft projects. This little powerhouse comes in black, lime green and fushia textured FRN.

- Blade is hollow ground AUS-6 steel.
- Handle is textured FRN in colors listed above.
- Available in PlainEdge and SpyderEdge.
- Clipless.



NEW!

Jester JBK	
Blade Steel.....AUS-6	Length Blade.....1 15/16" 49mm
Blade Thickness...5/64" 2.25mm	Length Closed.....2 1/2" 63mm
Diam. Blade Hole...11/32" 9mm	Length Cutting Edge...1 3/4" 44mm
Edge Type...PlainEdge, SpyderEdge	Length Overall.....4 13/32" 112mm
Weight.....0.6oz 16g	

Mini Police Necklace

MN07



The perfect gift for the knife nut in your family, the Mini Police Necklace is a real working lockback knife. It's attractive, functional and comes with a 22" chain in a gift box.

- Blade steel is flat ground ATS-34 steel.

Mini Police Model Necklace MN07	
Blade Steel.....ATS-34	Length Blade.....1 5/16" 33mm
Blade Thickness...1/16" 1.5mm	Length Closed.....1 13/16" 45mm
Diam. Blade Hole...5/32" 4mm	Length Cutting Edge...1 3/16" 30mm
Edge Type.....SpyderEdge	Length Overall.....3 1/8" 79mm
Weight.....0.5oz 5g	

SpyderCard

SC01

This special knife designed by Eduard Bradichansky tucks right into your wallet or purse next to all your credit cards. The SpyderCard actually opens into a full-sized locking knife. It is pancake flat with rounded edges and a hole in the handle to disengage the linerlock. Spyderco trademarked hole is included for easy opening.

- Blade is flat ground AUS-6 steel.
- Handle offers ample engraving or embellishing surface.
- Available in PlainEdge and 50/50 combination.
- Clipless.



Bradichansky SpyderCard SC01	
Blade Steel.....AUS-6	Length Blade.....2 13/16" 72mm
Blade Thickness...5/64" 2.25mm	Length Closed.....3 7/16" 87mm
Diam. Blade Hole...9/16" 14.5mm	Length Cutting Edge...2 1/2" 64mm
Edge Type.....PlainEdge, 50/50	Length Overall.....6 1/4" 159mm
Weight.....3 1/4oz 93g	

SpydeRench

T01

Recently, a prominent men's magazine dubbed the SpydeRench a "toolbox on hyper-steroids." Designed by an aerospace engineer this multi-tool is in a class by itself. Its many features include:

- Full-sized locking knife blade.
- Slip joint pliers with a large and small bite.
- .9/16" crescent wrench.
- Four standard sized bits (#2 and #3 Phillips head and #1 and #2 flat head) are housed inside the handle. These are replaceable with any standard size bits, even Allen and Torx.
- Long bit for "tunneled" electronic repairs features a Phillips head and flat head and is diamond coated for use as a file.
- File has a concave, convex and flat sharpening surface for deburring and honing.
- Pivot pin rotates, opening the tool to full length.
- Two halves separate allowing use of the crescent wrench and screwdriver at the same time.
- Knife can be used with tool separated or together.
- Body is investment-cast 17-4ph corrosion resistant stainless and chamfered for comfort.
- Blade is 440C steel.
- Available in PlainEdge, SpyderEdge or 50/50 combination.
- Metal pocket clip provides a tip down carry.

The Multi-Tool Museum
www.multi-tool.org



T01 SpydeRench			
Blade Steel	440C	Length Blade	2 1/2" 63mm
Blade Thickness	3/32" 2.25mm	Length Closed	4 5/8" 117mm
Diam. Blade Hole	15/32" 12mm	Length Cutting Edge	2 3/16" 56mm
Edge Type	SpyderEdge, PlainEdge, 50/50	Length Overall	7 3/32" 180mm
Weight	7.6oz 217g		

Harpy

C08

Appropriately named, our C08 Harpy resembles the claw of an eagle. Designed for controlled, pulling cuts, the hawkbill blade shape comes from the marine/commercial fishing industry where severing rope, line, webbing or netting is done at arm's length quickly and effectively. The curved arc of the blade keeps what you are cutting from slipping off the tip.

- Blade is hollow ground VG-10 steel
- David Boye dent in the locking lever allows for gripping the handle tightly without accidentally unlocking the blade.
- Stainless steel handle has a cutout for fast drying when used in or around water.
- Metal clip is positioned for a tip down carry.



Harpy C08S	
Blade Steel.....VG-10	Length Blade.....2 3/4" 70mm
Blade Thickness.....1/8" 3mm	Length Closed.....3 7/8" 99mm
Diam. Blade Hole...15/32" 12mm	Length Cutting Edge...2 9/16" 65mm
Edge Type...PlainEdge, SpyderEdge	Length Overall.....6 1/2" 165mm
Weight.....3.75oz 106g	

Merlin

C08BK

The Merlin has the same great cutting power as our Harpy but with a few different features.

- Blade steel is VG-10.
- Lightweight black FRN scales have a volcano style texture for gripping power.
- Also has the David Boye dent in the locking lever.
- Available in both PlainEdge and fully serrated SpyderEdge.
- The black clip is ambidextrous and carries tip up.



Merlin C08SBK	
Blade Steel.....VG-10	Length Blade.....2 7/8" 73mm
Blade Thickness.....3/32" 2.5mm	Length Closed.....3 7/8" 99mm
Diam. Blade Hole...15/32" 12mm	Length Cutting Edge...2 7/16" 82mm
Edge Type...SpyderEdge, PlainEdge	Length Overall.....6 7/16" 164mm
Weight.....2.5oz 71g	

Pro-Grip SS

C13

This hardy knife loves to work. A favorite all around outdoor knife of cowboys and hunters alike, it is also a trusty companion for everyday use.

- Drop-point style blade is hollow-ground, VG-10 steel.
- In addition to its usual 50/50 combination edge we've added a new PlainEdge version.
- Kraton inserts in the handle and clip gives it a non-slip grip.
- Metal clip positioned for tip down carry.



Pro-Grip SS C13	
Blade Steel.....VG-10	Length Blade.....2 13/16" 71mm
Blade Thickness.....1/8" 3mm	Length Closed.....3 7/8" 98mm
Diam. Blade Hole...15/32" 12mm	Length Cutting Edge...2 5/8" 67mm
Edge Type.....PlainEdge, 50/50	Length Overall.....6 5/8" 168mm
Weight.....4oz 112g	

Pro-Grip

C13BK

The lightweight Pro-Grip works just as hard as its heftier brother. It too is a favorite for outdoor use and everyday carry.

- Drop-point style blade is hollow-ground VG-10.
- Kraton insert in handle and under end of clip for added gripping power.
- Available in new PlainEdge or 50/50 combination.
- Pocket clip is integrated into the black FRN volcano grip handle for tip up carry.



Pro-Grip C13BK	
Blade Steel.....VG-10	Length Blade.....2 3/4" 71mm
Blade Thickness.....1/8" 3mm	Length Closed.....3 7/8" 98mm
Diam. Blade Hole...15/32" 12mm	Length Cutting Edge...2 5/8" 67mm
Edge Type.....Plain Edge, 50/50	Length Overall.....6 5/8" 168mm
Weight.....1.9oz 58g	

02-10-20 02-12-20 02-10-20 02-12-20

Catcherman

C17

A flexible folder?

Yes, our Catcherman is a flexible filet knife that folds up for easy carry on your next fishing trip. A special feature is the small section of serrations at the base for aggressive cutting when scaling or de-boning.

- Blade steel is MBS-26 which gives excellent edge retention and flexibility as well as being rust resistant.
- Blade is flat ground and thinner at the tip making it semi-flexible for filleting.
- Black FRN handle with volcano pattern holds your grip.
- Edge configuration is a 75/25 plain/serrated combination.
- Clip is molded into the handle and provides tip up carry.

Catcherman C17			
Blade Steel	MBS-26	Length Blade	4 3/4" 121mm
Blade Thickness	5/64" 2mm	Length Closed	5 15/16" 151mm
Diam. Blade Hole	7/16" 11mm	Length Cutting Edge	4 5/16" 110mm
Edge Type	75/25	Length Overall	10 7/16" 265mm
Weight	2.8oz 80g		

Snap-It

C26

A favorite of outdoor sportspeople. You can Snap-It anywhere, to a carabiner, vest, PFD, bootlace, backpack, belt loop, you name it. Its Wichard-style snap shackle allows for quick deployment yet keeps it in place and out of the way when not in use.

- Sheepfoot style (rounded tip) hollow-ground blade in AUS-8 steel.
- Fully serrated for aggressive cutting.
- Black FRN handle with Kraton inserts for non-skid grip.
- Snap shackle instead of clip.

Snap-It C26BKEMT			
Blade Steel	AUS-8	Length Blade	3" 76mm
Blade Thickness	1/8" 3mm	Length Closed	5 1/8" 130mm
Diam. Blade Hole	15/32" 12mm	Length Cutting Edge	2 3/8" 60mm
Edge Type	SpyderEdge	Length Overall	6 7/8" 174mm
Weight	2 1/2oz 70g		

Bill Moran Featherweights

FB01 / FB02

Bill Moran is the grandfather of custom knifemaking. Spyderco is proud to offer two of his classic designs. The FB01 has an upswept trailing point blade shape and the FB02 is a drop point style. Both have a very comfortable FRN handle with Kraton inserts for a great grip. Highly recommended for hunting, camping and the great outdoors. Both are equipped with a Kydex sheath and multi-position Tek-Lok.

- Blade is flat ground VG-10 steel.
- Handle is black FRN with Kraton inserts.
- Available in PlainEdge.
- Kydex sheath.

Bill Moran Featherweight FB01			
Blade Steel	VG-10	Length Blade	3 7/8" 99mm
Blade Thickness	1/8" 3mm	Length Closed	N/A
Diam. Blade Hole	N/A	Length Cutting Edge	3 1/2" 89mm
Edge Type	PlainEdge	Length Overall	8" 203mm
Weight			3oz 84g

Bill Moran Drop Point FB02			
Blade Steel	VG-10	Length Blade	3 7/8" 99mm
Blade Thickness	1/8" 3mm	Length Closed	N/A
Diam. Blade Hole	N/A	Length Cutting Edge	3 3/8" 86mm
Edge Type	PlainEdge	Length Overall	8 1/16" 205mm
Weight			3oz 84g



02-10-11 02-12-13 02-14-15 02-16-17 02-18-19 02-20-21 02-22-23 02-24-25 02-26-27 02-28-29 02-30-31 02-32-33 02-34-35 02-36-37 02-38-39 02-40-41 02-42-43 02-44-45 02-46-47 02-48-49 02-50-51 02-52-53 02-54-55 02-56-57 02-58-59 02-60-61 02-62-63 02-64-65 02-66-67 02-68-69 02-70-71 02-72-73 02-74-75 02-76-77 02-78-79 02-80-81 02-82-83 02-84-85 02-86-87 02-88-89 02-90-91 02-92-93 02-94-95 02-96-97 02-98-99 02-100-101 02-102-103 02-104-105 02-106-107 02-108-109 02-110-111 02-112-113 02-114-115 02-116-117 02-118-119 02-120-121 02-122-123 02-124-125 02-126-127 02-128-129 02-130-131 02-132-133 02-134-135 02-136-137 02-138-139 02-140-141 02-142-143 02-144-145 02-146-147 02-148-149 02-150-151 02-152-153 02-154-155 02-156-157 02-158-159 02-160-161 02-162-163 02-164-165 02-166-167 02-168-169 02-170-171 02-172-173 02-174-175 02-176-177 02-178-179 02-180-181 02-182-183 02-184-185 02-186-187 02-188-189 02-190-191 02-192-193 02-194-195 02-196-197 02-198-199 02-200-201 02-202-203 02-204-205 02-206-207 02-208-209 02-210-211 02-212-213 02-214-215 02-216-217 02-218-219 02-220-221 02-222-223 02-224-225 02-226-227 02-228-229 02-230-231 02-232-233 02-234-235 02-236-237 02-238-239 02-240-241 02-242-243 02-244-245 02-246-247 02-248-249 02-250-251 02-252-253 02-254-255 02-256-257 02-258-259 02-260-261 02-262-263 02-264-265 02-266-267 02-268-269 02-270-271 02-272-273 02-274-275 02-276-277 02-278-279 02-280-281 02-282-283 02-284-285 02-286-287 02-288-289 02-290-291 02-292-293 02-294-295 02-296-297 02-298-299 02-300-301 02-302-303 02-304-305 02-306-307 02-308-309 02-310-311 02-312-313 02-314-315 02-316-317 02-318-319 02-320-321 02-322-323 02-324-325 02-326-327 02-328-329 02-330-331 02-332-333 02-334-335 02-336-337 02-338-339 02-340-341 02-342-343 02-344-345 02-346-347 02-348-349 02-350-351 02-352-353 02-354-355 02-356-357 02-358-359 02-360-361 02-362-363 02-364-365 02-366-367 02-368-369 02-370-371 02-372-373 02-374-375 02-376-377 02-378-379 02-380-381 02-382-383 02-384-385 02-386-387 02-388-389 02-390-391 02-392-393 02-394-395 02-396-397 02-398-399 02-400-401 02-402-403 02-404-405 02-406-407 02-408-409 02-410-411 02-412-413 02-414-415 02-416-417 02-418-419 02-420-421 02-422-423 02-424-425 02-426-427 02-428-429 02-430-431 02-432-433 02-434-435 02-436-437 02-438-439 02-440-441 02-442-443 02-444-445 02-446-447 02-448-449 02-450-451 02-452-453 02-454-455 02-456-457 02-458-459 02-460-461 02-462-463 02-464-465 02-466-467 02-468-469 02-470-471 02-472-473 02-474-475 02-476-477 02-478-479 02-480-481 02-482-483 02-484-485 02-486-487 02-488-489 02-490-491 02-492-493 02-494-495 02-496-497 02-498-499 02-500-501 02-502-503 02-504-505 02-506-507 02-508-509 02-510-511 02-512-513 02-514-515 02-516-517 02-518-519 02-520-521 02-522-523 02-524-525 02-526-527 02-528-529 02-530-531 02-532-533 02-534-535 02-536-537 02-538-539 02-540-541 02-542-543 02-544-545 02-546-547 02-548-549 02-550-551 02-552-553 02-554-555 02-556-557 02-558-559 02-560-561 02-562-563 02-564-565 02-566-567 02-568-569 02-570-571 02-572-573 02-574-575 02-576-577 02-578-579 02-580-581 02-582-583 02-584-585 02-586-587 02-588-589 02-590-591 02-592-593 02-594-595 02-596-597 02-598-599 02-600-601 02-602-603 02-604-605 02-606-607 02-608-609 02-610-611 02-612-613 02-614-615 02-616-617 02-618-619 02-620-621 02-622-623 02-624-625 02-626-627 02-628-629 02-630-631 02-632-633 02-634-635 02-636-637 02-638-639 02-640-641 02-642-643 02-644-645 02-646-647 02-648-649 02-650-651 02-652-653 02-654-655 02-656-657 02-658-659 02-660-661 02-662-663 02-664-665 02-666-667 02-668-669 02-670-671 02-672-673 02-674-675 02-676-677 02-678-679 02-680-681 02-682-683 02-684-685 02-686-687 02-688-689 02-690-691 02-692-693 02-694-695 02-696-697 02-698-699 02-700-701 02-702-703 02-704-705 02-706-707 02-708-709 02-710-711 02-712-713 02-714-715 02-716-717 02-718-719 02-720-721 02-722-723 02-724-725 02-726-727 02-728-729 02-730-731 02-732-733 02-734-735 02-736-737 02-738-739 02-740-741 02-742-743 02-744-745 02-746-747 02-748-749 02-750-751 02-752-753 02-754-755 02-756-757 02-758-759 02-760-761 02-762-763 02-764-765 02-766-767 02-768-769 02-770-771 02-772-773 02-774-775 02-776-777 02-778-779 02-780-781 02-782-783 02-784-785 02-786-787 02-788-789 02-790-791 02-792-793 02-794-795 02-796-797 02-798-799 02-800-801 02-802-803 02-804-805 02-806-807 02-808-809 02-810-811 02-812-813 02-814-815 02-816-817 02-818-819 02-820-821 02-822-823 02-824-825 02-826-827 02-828-829 02-830-831 02-832-833 02-834-835 02-836-837 02-838-839 02-840-841 02-842-843 02-844-845 02-846-847 02-848-849 02-850-851 02-852-853 02-854-855 02-856-857 02-858-859 02-860-861 02-862-863 02-864-865 02-866-867 02-868-869 02-870-871 02-872-873 02-874-875 02-876-877 02-878-879 02-880-881 02-882-883 02-884-885 02-886-887 02-888-889 02-890-891 02-892-893 02-894-895 02-896-897 02-898-899 02-900-901 02-902-903 02-904-905 02-906-907 02-908-909 02-910-911 02-912-913 02-914-915 02-916-917 02-918-919 02-920-921 02-922-923 02-924-925 02-926-927 02-928-929 02-930-931 02-932-933 02-934-935 02-936-937 02-938-939 02-940-941 02-942-943 02-944-945 02-946-947 02-948-949 02-950-951 02-952-953 02-954-955 02-956-957 02-958-959 02-960-961 02-962-963 02-964-965 02-966-967 02-968-969 02-970-971 02-972-973 02-974-975 02-976-977 02-978-979 02-980-981 02-982-983 02-984-985 02-986-987 02-988-989 02-990-991 02-992-993 02-994-995 02-996-997 02-998-999 02-1000-1001 02-1002-1003 02-1004-1005 02-1006-1007 02-1008-1009 02-1010-1011 02-1012-1013 02-1014-1015 02-1016-1017 02-1018-1019 02-1020-1021 02-1022-1023 02-1024-1025 02-1026-1027 02-1028-1029 02-1030-1031 02-1032-1033 02-1034-1035 02-1036-1037 02-1038-1039 02-1040-1041 02-1042-1043 02-1044-1045 02-1046-1047 02-1048-1049 02-1050-1051 02-1052-1053 02-1054-1055 02-1056-1057 02-1058-1059 02-1060-1061 02-1062-1063 02-1064-1065 02-1066-1067 02-1068-1069 02-1070-1071 02-1072-1073 02-1074-1075 02-1076-1077 02-1078-1079 02-1080-1081 02-1082-1083 02-1084-1085 02-1086-1087 02-1088-1089 02-1090-1091 02-1092-1093 02-1094-1095 02-1096-1097 02-1098-1099 02-1100-1101 02-1102-1103 02-1104-1105 02-1106-1107 02-1108-1109 02-1110-1111 02-1112-1113 02-1114-1115 02-1116-1117 02-1118-1119 02-1120-1121 02-1122-1123 02-1124-1125 02-1126-1127 02-1128-1129 02-1130-1131 02-1132-1133 02-1134-1135 02-1136-1137 02-1138-1139 02-1140-1141 02-1142-1143 02-1144-1145 02-1146-1147 02-1148-1149 02-1150-1151 02-1152-1153 02-1154-1155 02-1156-1157 02-1158-1159 02-1160-1161 02-1162-1163 02-1164-1165 02-1166-1167 02-1168-1169 02-1170-1171 02-1172-1173 02-1174-1175 02-1176-1177 02-1178-1179 02-1180-1181 02-1182-1183 02-1184-1185 02-1186-1187 02-1188-1189 02-1190-1191 02-1192-1193 02-1194-1195 02-1196-1197 02-1198-1199 02-1200-1201 02-1202-1203 02-1204-1205 02-1206-1207 02-1208-1209 02-1210-1211 02-1212-1213 02-1214-1215 02-1216-1217 02-1218-1219 02-1220-1221 02-1222-1223 02-1224-1225 02-1226-1227 02-1228-1229 02-1230-1231 02-1232-1233 02-1234-1235 02-1236-1237 02-1238-1239 02-1240-1241 02-1242-1243 02-1244-1245 02-1246-1247 02-1248-1249 02-1250-1251 02-1252-1253 02-1254-1255 02-1256-1257 02-1258-1259 02-1260-1261 02-1262-1263 02-1264-1265 02-1266-1267 02-1268-1269 02-1270-1271 02-1272-1273 02-1274-1275 02-1276-1277 02-1278-1279 02-1280-1281 02-1282-1283 02-1284-1285 02-1286-1287 02-1288-1289 02-1290-1291 02-1292-1293 02-1294-1295 02-1296-1297 02-1298-1299 02-1300-1301 02-1302-1303 02-1304-1305 02-1306-1307 02-1308-1309 02-1310-1311 02-1312-1313 02-1314-1315 02-1316-1317 02-1318-1319 02-1320-1321 02-1322-1323 02-1324-1325 02-1326-1327 02-1328-1329 02-1330-1331 02-1332-1333 02-1334-1335 02-1336-1337 02-1338-1339 02-1340-1341 02-1342-1343 02-1344-1345 02-1346-1347 02-1348-1349 02-1350-1351 02-1352-1353 02-1354-1355 02-1356-1357 02-1358-1359 02-1360-1361 02-1362-1363 02-1364-1365 02-1366-1367 02-1368-1369 02-1370-1371 02-1372-1373 02-1374-1375 02-1376-1377 02-1378-1379 02-1380-1381 02-1382-1383 02-1384-1385 02-1386-1387 02-1388-1389 02-1390-1391 02-1392-1393 02-1394-1395 02-1396-1397 02-1398-1399 02-1400-1401 02-1402-1403 02-1404-1405 02-1406-1407 02-1408-1409 02-1410-1411 02-1412-1413 02-1414-1415 02-1416-1417 02-1418-1419 02-1420-1421 02-1422-1423 02-1424-1425 02-1426-1427 02-1428-1429 02-1430-1431 02-1432-1433 02-1434-1435 02-1436-1437 02-1438-1439 02-1440-1441 02-1442-1443 02-1444-1445 02-1446-1447 02-1448-1449 02-1450-1451 02-1452-1453 02-1454-1455 02-1456-1457 02-1458-1459 02-1460-1461 02-1462-1463 02-1464-1465 02-1466-1467 02-1468-1469 02-1470-1471 02-1472-1473 02-1474-1475 02-1476-1477 02-1478-1479 02-1480-1481 02-1482-1483 02-1484-1485 02-1486-1487 02-1488-1489 02-1490-1491 02-1492-1493 02-1494-1495 02-1496-1497 02-1498-1499 02-1500-1501 02-1502-1503 02-1504-1505 02-1506-1507 02-1508-1509 02-1510-1511 02-1512-1513 02-1514-1515 02-1516-1517 02-1518-1519 02-1520-1521 02-1522-1523 02-1524-1525 02-1526-1527 02-1528-1529 02-1530-1531 02-1532-1533 02-1534-1535 02-1536-1537 02-1538-1539 02-1540-1541 02-1542-1543 02-1544-1545 02-1546-1547 02-1548-1549 02-1550-1551 02-1552-1553 02-1554-1555 02-1556-1557 02-1558-1559 02-1560-1561 02-1562-1563 02-1564-1565 02-1566-1567 02-1568-1569 02-1570-1571 02-1572-1573 02-1574-1575 02-1576-1577 02-1578-1579 02-1580-1581 02-1582-1583 02-1584-1585 02-1586-1587 02-1588-1589 02-1590-1591 02-1592-1593 02-1594-1595 02-1596-1597 02-1598-1599 02-1600-1601 02-1602-1603 02-1604-1605 02-1606-1607 02-1608-1609 02-1610-1611 02-1612-1613 02-1614-1615 02-1616-1617 02-1618-1619 02-1620-1621 02-1622-1623 02-1624-1625 02-1626-1627 02-1628-1629 02-1630-1631 02-1632-1633 02-1634-1635 02-1636-1637 02-1638-1639 02-1640-1641 02-1642-1643 02-1644-1645 02-1646-1647 02-1648-1649 02-1650-1651 02-1652-1653 02-1654-1655 02-1656-1657 02-1658-1659 02-1660-1661 02-1662-1663 02-1664-1665 02-1666-1667 02-1668-1669 02-1670-1671 02-1672-1673 02-1674-1675 02-1676-1677 02-1678-1679 02-1680-1681 02-1682-1683 02-1684-1685 02-1686-1687 02-1688-1689 02-1690-1691 02-1692-1693 02-1694-1695 02-1696-1697 02-1698-1699 02-1700-1701 02-1702-1703 02-1704-1705 02-1706-1707 02-1708-1709 02-1710-1711 02-1712-1713 02-1714-1715 02-1716-1717 02-1718-1719 02-1720-1721 02-1722-17

Bob Lum Tanto

FB03

We can thank Bob Lum for introducing America to the Asian Tanto style blade. It is only natural that Spyderco follow-up Bob Lum's folding tanto with a fixed blade, and a very classy one at that. It has a Hamaguri (appleseed) grind at the tip for added strength and the swedge on the spine lessens the overall weight. The blade has a tapered tang, running the full length of the handle, adding overall strength. The expanded hand guard, where the blade and handle meet, makes it comfortable in the hand. Included is a leather sheath.

- Blade steel is hollow-ground AUS-8.
- Handle is black linen Micarta.
- Available in PlainEdge.
- Clipless with a leather sheath.

Bob Lum Fixed Blade Tanto FB03			
Blade Steel	AUS-8	Length Blade	4 3/16" 107mm
Blade Thickness	3/16" 4.5mm	Length Closed	N/A
Diam. Blade Hole	N/A	Length Cutting Edge	3 7/8" 98mm
Edge Type	PlainEdge	Length Overall	8 7/16" 215mm
Weight	4.5oz 126g		

Fred Perrin

FB04

Fred Perrin, former French Army Commando and world-class martial artist has designed a utilitarian and uncomplicated knife. A weight reducing swedge on front of the spine and texturing at the base of the spine add purchase for your thumb and lessen weight. You'll find your forefinger fits perfectly in the pronounced choil and the molded black FRN handle has Kraton inserts for additional gripping power. Included is a Kydex sheath.

Fred Perrin Clip-Point Bowie FB04			
Blade Steel	VG-10	Length Blade	5" 127mm
Blade Thickness	5/32" 4mm	Length Closed	N/A
Diam. Blade Hole	N/A	Length Cutting Edge	4 3/4" 121mm
Edge Type	PlainEdge	Length Overall	9 3/8" 238mm
Weight	3.75oz 107g		

- Blade is flat ground VG-10 steel.
- Handle is molded black FRN with Kraton inserts.
- Available in PlainEdge.
- Kydex sheath.

Temperance

FB05

Spyderco's Temperance is a serious entry into the fixed blade market. Designed in-house by Sal Glesser, it is a hefty all around knife. Sporting a flat ground 4 7/16 inch blade, it is at home hunting, camping or even in the kitchen. The molded FRN handle is ergonomically sound, fitting most hands very comfortably, and the four dimples in the handle are positioned for grip and indexing.

- Blade is flat ground VG-10 steel.
- Handle is black molded FRN.
- Available in PlainEdge or SpyderEdge.
- Clipless, comes with a Kydex sheath.

Fixed Blade Temperance FB05			
Blade Steel	VG-10	Length Blade	4 7/16" 113mm
Blade Thickness	5/32" 4mm	Length Closed	N/A
Diam. Blade Hole	N/A	Length Cutting Edge	4 1/8" 104mm
Edge Type	SpyderEdge, PlainEdge	Length Overall	9 5/8" 243mm
Weight	5.625oz 159g		

02-10-11 02-12-11 02-13-11 02-14-11 02-15-11 02-16-11 02-17-11 02-18-11 02-19-11 02-20-11 02-21-11 02-22-11 02-23-11 02-24-11 02-25-11 02-26-11 02-27-11 02-28-11 02-29-11 02-30-11

G-SAKAI



G. Sakai is based in Seki, Japan, a small town famous for cutlery production. Founded on the traditions of sword-making dating back more than one thousand years, this premium pocket knife company is dedicated to evolution and constant refinement in its product development. The company mission is to provide the best performance for each specialized design, such that every knife incorporates the latest technology and uncompromising artisanship typical of G. Sakai. Refined art and the critical touch of a master infuse life into every G. Sakai knife, upholding the prominent status the company holds among the knife lovers of the world.

Pack Rat TA101			
Blade Steel	AUS-6	Length Blade	2 1/2" 64mm
Blade Thickness	3/32" 2.4mm	Length Closed	3 3/4" 95mm
Diam. Blade Hole	N/A	Length Cutting Edge	2 3/8" 60mm
Edge Type	PlainEdge	Length Overall	6 1/4" 159mm
Weight	1.6oz 45.5g		

Bird & Trout Series

TA101 / TA102 / TA103

G. Sakai knives combine form and function beautifully. Their Bird & Trout Series are small game and fish knives designed for performance that just happen to be eye appealing too. The point of the thin hollow-ground blade tapers upward for heightened control and it has a sharpened false edge atop the blade. The top lock is positioned at the rear.

- Blade steel is hollow ground AUS-6.
- Handles are black Micarta with brushed stainless bolsters.
- Available in PlainEdge only.
- Clipless, comes with a Cordura belt sheath.

Road Runner TA102			
Blade Steel	AUS-6	Length Blade	2 7/8" 73mm
Blade Thickness	1/8" 3.2mm	Length Closed	4 1/4" 108mm
Diam. Blade Hole	N/A	Length Cutting Edge	2 5/8" 67mm
Edge Type	PlainEdge	Length Overall	7 1/8" 181mm
Weight	2.3oz 66g		

Backpacker Series

GS103 / GS104

Spyderco is the sole U.S. importer of G. Sakai cutlery.

Made in Seki City Japan, the Backpacker series is for the outdoorsman seeking lightweight performance. These handy knives have a rear positioned back lock.

- Blade steel is hollow ground AUS-6.
- Handles are cast zinc inlaid with Kraton for confident grip.
- Available in PlainEdge and SpyderEdge.
- Clipless.

Fisher TA103			
Blade Steel	AUS-6	Length Blade	3 3/4" 95mm
Blade Thickness	9/64" 3.6mm	Length Closed	5 1/2" 140mm
Diam. Blade Hole	N/A	Length Cutting Edge	3 1/4" 83mm
Edge Type	PlainEdge	Length Overall	9 1/16" 230mm
Weight	4.4oz 124g		

Backpacker GS103			
Blade Steel	AUS-6	Length Blade	2 1/2" 64mm
Blade Thickness	3/32" 2.4mm	Length Closed	3 3/8" 86mm
Diam. Blade Hole	N/A	Length Cutting Edge	2 5/16" 59mm
Edge Type	PlainEdge, SpyderEdge	Length Overall	5 7/8" 150mm
Weight	2.6oz 73g		

Backpacker GS104			
Blade Steel	AUS-6	Length Blade	3" 76mm
Blade Thickness	1/8" 3.2mm	Length Closed	4" 102mm
Diam. Blade Hole	N/A	Length Cutting Edge	2 5/8" 67mm
Edge Type	PlainEdge, SpyderEdge	Length Overall	6 7/8" 175mm
Weight	4oz 112g		

02H-000R 122H-20 F-010-20 02-12CI 0000-100

Endura SS

C10

- Modified skinning-style blade is hollow ground AUS-6 high carbon steel.
- Available in PlainEdge, SpyderEdge or 50/50 combo.
- A David Boye dent has been added to the locking lever for 2002.
- Stainless steel handle is perfect for custom engraving and embellishment.
- Two sets of pre-drilled holes allow the metal clip to be positioned for a tip up or tip down carry.

Steel handled knives are excellent for hard-use by virtue of their heft and solidity. Our C10 Endura does the job.

IMPROVED!

Endura

C10BK

Our Endura model is the cornerstone of the knife industry and started the trend toward lightweight folders. It is a favorite everyday carry and everyday work knife for the folks in the serving and saving professions.

- For 2002 we have changed the blade steel to VG-10.
- Look closely and you will notice a new grind; its flat, not hollow.
- Available in three edge configurations, PlainEdge, SpyderEdge and a 50/50 combo.
- A David Boye dent is a part of the locking lever.
- The scales are black FRN with a volcano grip texture.
- Has a deeper clip well to eliminate rotation of the black ambidextrous clip which carries tip up.

Endura SS C10			
Blade Steel	AUS-6	Length Blade	3 3/4" 96mm
Blade Thickness	1/8" 3mm	Length Closed	4 13/16" 122mm
Diam. Blade Hole	15/32" 12mm	Length Cutting Edge	3 1/4" 83mm
Edge Type	SpyderEdge, PlainEdge, 50/50	Length Overall	8 1/2" 216mm
Weight	5.5oz 156g		

IMPROVED!

Endura Trainer

C10TR

A trainer, also known as a drone, is just like a "live" knife in weight and size but the blade has a dull edge and rounded tip. Use a trainer when you want to practice opening and closing with one hand, fast retrieval and of course Martial Blade Craft moves.

- Blade steel is AUS-6 with an unsharpened edge and tip.
- Has a red volcano grip handle that readily identifies it as a trainer.
- David Boye dent for tight gripping without accidentally releasing lock.
- Black ambidextrous clip for tip up carry.

Endura C10BK			
Blade Steel	VG-10	Length Blade	3 15/16" 100mm
Blade Thickness	1/8" 3mm	Length Closed	4 15/16" 125mm
Diam. Blade Hole	15/32" 12mm	Length Cutting Edge	3 7/16" 87mm
Edge Type	SpyderEdge, PlainEdge, 50/50	Length Overall	8 13/16" 223mm
Weight	2.9oz 82g		

Endura Trainer C10TR			
Blade Steel	AUS-6	Length Blade	3 15/16" 100mm
Blade Thickness	1/8" 3mm	Length Closed	4 15/16" 125mm
Diam. Blade Hole	15/32" 12mm	Length Cutting Edge	N/A
Edge Type	N/A	Length Overall	8 7/8" 223mm
Weight	3.14oz 89g		

02-03-04-05-06-07-08-09-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-31-32-33-34-35-36-37-38-39-40-41-42-43-44-45-46-47-48-49-50-51-52-53-54-55-56-57-58-59-60-61-62-63-64-65-66-67-68-69-70-71-72-73-74-75-76-77-78-79-80-81-82-83-84-85-86-87-88-89-90-91-92-93-94-95-96-97-98-99-100

Delica SS

C11

The all stainless version of our popular Delica. It is slightly beefier and provides a sense of solidity yet doesn't feel like you are carrying a heavyweight.

- Blade steel is hollow ground AUS-6.
- A David Boye dent has been added to the locking lever for 2002.
- Available in both PlainEdge, SpyderEdge and 50/50 combination.
- Stainless steel handle great for engraving or embellishing.
- Predrilled holes for the metal clip allow for tip up/tip down carry.



IMPROVED!

Delica SS C11			
Blade Steel.....	AUS-6	Length Blade.....	2 7/8" 72mm
Blade Thickness.....	3/32" 2.5mm	Length Closed.....	4" 102mm
Diam. Blade Hole.....	15/32" 12mm	Length Cutting Edge.....	2 1/2" 63mm
Edge Type.....	SpyderEdge, PlainEdge, 50/50	Length Overall.....	6 13/16" 173mm
Weight.....	4 oz 110g		

Delica

C11BK

A favorite with just about everyone, our lightweight Delica does it all. You'll find it being used by all branches of serving and saving professionals as well as everyday use around the home, job or recreation. It's that perfect knife you want with you at all times.

- New for 2002 we have changed to VG-10 steel.
- The grind has changed too, it's now flat.
- Available in three edge configurations, PlainEdge, SpyderEdge and 50/50 combination.
- Black lightweight FRN handle with volcano grip pattern.
- David Boye dent in locking lever.
- Has a deeper clip well to eliminate rotation of the ambidextrous clip which carries tip up.



IMPROVED!

Delica C11BK			
Blade Steel.....	VG-10	Length Blade.....	3" 77mm
Blade Thickness.....	3/32" 2.5mm	Length Closed.....	4" 102mm
Diam. Blade Hole.....	15/32" 12mm	Length Cutting Edge.....	2 11/16 68mm
Edge Type.....	SpyderEdge, PlainEdge, 50/50	Length Overall.....	7" 177mm
Weight.....	1.9oz 54g		

Delica Trainer

C11TR

You'll want to keep one of these close at hand to assist that new customer to practice opening and closing the blade without fear of them getting hurt. It is the same size as a "live" Delica but can be handled by the Newbie with ease.

- Blade steel is AUS-6 with unsharpened edge and tip.
- David Boye dent just like the live knife.
- Red FRN handle with volcano grip pattern.
- Black ambidextrous clip for tip up carry.



Delica Trainer C11TR			
Blade Steel.....	AUS-6	Length Blade.....	3" 77mm
Blade Thickness.....	3/32" 2.5mm	Length Closed.....	4" 102mm
Diam. Blade Hole.....	15/32" 12mm	Length Cutting Edge.....	N/A
Edge Type.....	N/A	Length Overall.....	7" 177mm
Weight.....	2.1oz 60g		

W E B C - 2 0 0 2 - S A V E - 2 0 0 2 - M U L T I - T O O L M U S E U M - 0 2 4 1

Military Model

C36GE

This heavy-duty knife is chock full of special features. The ergonomics include a comfortable choil and machined texturing (on the spine behind the hole) for a comfortable and safe grip for tough cutting. We enlarged the hole for easy opening/closing with gloved hands.

- Flat ground modified clip-point blade made of CPM-440V steel holds an edge longer.
- Linerlock is nested for added strength and reduced thickness.
- G-10 handles are slender and resistant to climate and chemicals.
- Spacers between the scales allow easy rinsing of field dirt and grime.
- Available in PlainEdge, SpyderEdge and a 50/50 combo.
- Specially designed black metal clip for tip down carry.
- Manufactured in our Golden, Colorado plant.

Military Model C36GE	
Blade Steel.....CPM440V	Length Blade.....4" 102mm
Blade Thickness.....5/32" 4mm	Length Closed.....5 1/2" 139mm
Diam. Blade Hole.....9/16" 14mm	Length Cutting Edge...3 11/16" 94mm
Edge Type.....SpyderEdge, PlainEdge, 50/50	Length Overall.....9 1/2" 242mm
Weight.....4 oz 113g	

Rescue Jr.

C45OR/BK

The folder you need when you want to cut something, not someone. The Rescue Jr. has a sheepfoot blade that is rounded at the tip. Specially designed ergonomics provide a comfortable choil for the forefinger and the hump over the hole gives purchase for the thumb. An excellent knife for emergency personnel (cutting seatbelts), rafters (using inflatables), ranchers (cutting around livestock), just to name a few.

- Blade is hollow ground sheepfoot style made of VG-10 steel.
- Fully serrated for aggressive cutting.
- FRN handle with volcano grip texture comes in Black or Orange.
- Metal clip is ambidextrous and carries tip up.

Rescue Jr. C45	
Blade Steel.....VG-10	Length Blade.....3 1/8" 79mm
Blade Thickness.....1/8" 3mm	Length Closed.....4 1/8" 104mm
Diam. Blade Hole...15/32" 12mm	Length Cutting Edge...2 5/8" 67mm
Edge Type.....SpyderEdge	Length Overall.....7 3/16" 183mm
Weight.....2.1oz 60g	

Bob Lum

C46

Bob Lum is the first American knifemaker to introduce the Asian tanto-style blade to the U.S. It features a "hamaguri" or appleseed grind at the tip for added strength. The flat-topped hump above the hole provides a comfortable positioning spot for your thumb for controlled cutting. It has a linerlock nested in its G-10 scales with an eccentric pivot pin and an offset arc ramp that adjusts itself as the liner wears.

- Blade is black coated, hollow-ground ATS-55 steel.
- Available in PlainEdge or 60/40 combination.
- Lined lanyard hole.
- Black metal clip provides tip up carry.

Bob Lum C46	
Blade Steel.....ATS-55	Length Blade.....3 13/16" 97mm
Blade Thickness.....1/8" 3mm	Length Closed.....5" 127mm
Diam. Blade Hole...15/32" 12mm	Length Cutting Edge...3 7/16" 68mm
Edge Type.....60/40, PlainEdge	Length Overall.....8 3/4" 223mm
Weight.....5.1 oz 145g	

MURKIN - SAVIN - PROLEM - ANA



Martial Blade Craft (MBC) is a term that Spyderco developed to describe bladed combat arts. The term "knife fighting" is not only negative but quite unrealistic since "knife fighting" rarely occurs and is used more for Hollywood glamour. Martial Blade Craft is an art form that will one day find Olympic presence as does Judo and Fencing.

However, studied as an art form, Judo, Martial Blade Craft or any other martial art does have value in self protection, should the need arise. The

purpose of any martial art is (or should be) to stop the bad guy from hurting the innocents.

Though many knife manufacturers produce models for combative arts, it is not an area that Spyderco has in the past actively promoted. The models presented in this section were designed by and for Martial Blade Craft practitioners.


Fully functional trainers or drones are currently being produced for some models with others scheduled for future production. Trainers will be produced with red handles to differentiate them from a live blade.

Massad Ayoob

C60

An interesting feature of the Massad Ayoob design (a nationally renowned writer and authority on firearms and knives) is that when in the hand, the handle feels like an extension of the blade. The blade goes wherever you point your wrist. It has a finger choil and texturing on the back of the spine for your thumb to grip.

- Blade steel is hollow ground VG-10.
- Black Almite coated aluminum handle.
- Available in PlainEdge.
- Black clip with gold bug is ambidextrous and carries tip down.
- Recommended for MBC use.



Massad Ayoob C60	
Blade Steel	VG-10
Blade Thickness	1/8" 3mm
Diam. Blade Hole	15/32" 12mm
Edge Type	PlainEdge
Weight	4.3oz 122g
Length Blade	3 5/8" 92mm
Length Closed	5 1/16" 128mm
Length Cutting Edge	3 3/8" 86mm
Length Overall	8 7/16" 215mm

Bram Frank Gunting

C68 / C68TR

Bram Frank, a martial arts "Hall of Famer," designed the Gunting specifically for Martial Blade Craft. The appendage on the upper side of the blade allows for kinetic opening by leveraging the blade against an object or opponent. The protrusions on the handle can be used like a Yawara stick for pressure point control while subduing an opponent. We added our extra strength Compression Lock and indexing/control divots in the handle and clip. This knife is becoming popular with law enforcement personnel as well as Martial Blade Crafters.

- Blade steel is CPM 440V and hollow ground.
- Handle material is black G-10.
- Available in PlainEdge and 50/50 combination.
- Special metal clip designed for indexing/control.
- Made in our Golden, Colorado plant.



Bram Frank Gunting C68	
Blade Steel	CPM 440V
Blade Thickness	1/8" 3mm
Diam. Blade Hole	7/16" 11mm
Edge Type	PlainEdge, 50/50
Weight	5.9oz 168g
Length Blade	2 7/8" 74mm
Length Closed	5 7/16" 131mm
Length Cutting Edge	2 3/4" 71mm
Length Overall	8" 202mm

To become accomplished at anything takes practice. This is especially true for Martial Blade Craft. The Gunting Trainer was developed for safe practice. It is the same size and weight as the "live" version and it has the same special features. It is a trainer, so we rounded all the sharp points and left the blade tip and edge unsharpened. The practice part is left to you.

- Blade steel is GIN-1.
- Handle material is red G-10 denoting it's a trainer.
- Edge is unsharpened for safety.
- Special metal clip for indexing/control.
- Made in our Golden, Colorado plant.



Gunting Trainer C68TR	
Blade Steel	GIN-1
Blade Thickness	1/8" 3mm
Diam. Blade Hole	7/16" 11mm
Edge Type	N/A
Weight	5.7oz 161g
Length Blade	3 1/16" 77mm
Length Closed	5 7/16" 131mm
Length Cutting Edge	N/A
Length Overall	8 1/16" 205mm

James A. Keating Chinook

C63

Designed by Master at Arms James A. Keating, the C63 Chinook is a hefty knife. It was originally designed for Martial Blade Craft but can also be found in the field doing heavy duty work as a hunting/camping knife. The blade is an upswept modified Bowie-style and features a strong lockback. Built in ergonomics include a comfortable finger choil and texture on the back of the spine for extra thumb purchase for tough cuts.

- Blade steel is hollow ground CPM 440V.
- Handle is black G-10
- Available in PlainEdge and 50/50 combination.
- Black metal clip provides right handed tip down carry.

James A. Keating Chinook C63			
Blade Steel	CPM 440V	Length Blade	3 3/4" 95mm
Blade Thickness	5/32" 4mm	Length Closed	4 7/8" 124mm
Diam. Blade Hole	.9/16" 14.5mm	Length Cutting Edge	3 5/16" 84mm
Edge Type	PlainEdge 50/50	Length Overall	8 9/16" 217mm
Weight	7.25oz 205g		

Lil' Temperance

C69

Spyderco's Lil' Temperance is not a lil' knife. It is a no-nonsense power-packed knife designed in-house by Sal Glesser. Although it has all the important features for Martial Blade Craft it can be at home at the work site too. Its 3-inch blade comes in two shapes, an upswept trailing point and a modified spear point. We enlarged the hole and carved out one side of the green G-10 handle making it very ergonomically comfortable in your hand. It also has our new strong Compression Lock (nested).

- Blade steel is flat ground CPM 440V.
- Handle material is green G-10.
- Available in PlainEdge.
- Specially designed metal clip, with indexing/control holes, provides a tip up or tip down carry.

Lil' Temperance C69			
Blade Steel	CPM 440V	Length Blade	3" 76mm
Blade Thickness	5/32" 4mm	Length Closed	4 1/2" 115mm
Diam. Blade Hole	.9/16" 14.5mm	Length Cutting Edge	3" 77mm, 3 1/8" 79mm
Edge Type	PlainEdge	Length Overall	7 3/16" 182mm
Weight	4.25oz 121g		

Temperance Trainer

FB05TR

For those who would like to practice Martial Blade Craft with a fixed blade we developed the FB05 Temperance Trainer. It is very similar to the "live" knife in size and weight but it has a rounded tip and no edge. Its red handle has all the ergonomics as well as four divots for easy and quick indexing/controlling of the knife.

- Blade steel is AUS-6.
- Handle is red molded FRN with indexing divots.
- No edge makes it safe for MBC workouts.
- No clip but will have a Kydex sheath available.

Lil' Temperance C69			
Blade Steel	AUS-6	Length Blade	4 5/16" 109mm
Blade Thickness	5/32" 4mm	Length Closed	N/A
Diam. Blade Hole	N/A	Length Cutting Edge	N/A
Edge Type	N/A	Length Overall	9 1/2" 240mm
Weight	5.2oz 146g		

MARTIAL BLADE CRAFT

Pro Culinaire

Do you have a favorite kitchen knife? One you automatically reach for when opening the silverware drawer? Pro Culinaire knives have the ability to unconsciously becoming your best-liked kitchen knife. The Pro Culinaire line is a set of seven chef-grade pieces sold separately. All are made of MBS-26 high carbon stainless steel which demands little maintenance. The handles are made of a slip-resistant polymer called Sermollan. Sermollan has an airy, springy feel that pulls

itself into your palm giving you a tighter grip and elevated control. Serrated models have a unique pattern called SpyderEdge Multi-Level Serrations. In essence, it's two levels of serrated teeth. Like a shark. When one row of teeth wear out, another row is just behind, new, razor-sharp, untouched and raring to go. The blade is thin, semi-flexible and passes effortlessly through food, even frozen items. They're Spyderco's best kept secret.

Bread Knife K01SBK

Zips through bread with two steps of SpyderEdge serrations. A rounded safety tip protects your hand while cutting. Black Sermollan handle.

Bread Knife K01SBK			
Blade Steel	MBS-26	Blade Length	10 3/16" 259mm
Edge Type	SpyderEdge	Overall Length	15 3/8" 390mm
Weight	4.2oz 119g		

Cooks Knife K02PBK

Mid-sized professional cook's knife that has a nice rocking motion on the blade for dicing, cubing and mincing. Available in PlainEdge with a black handle.

Cook's Knife K02PBK			
Blade Steel	MBS-26	Blade Length	9 7/16" 239mm
Edge Type	PlainEdge	Overall Length	14 9/16" 370mm
Weight	4.8oz 136g		

Carving Knife K03SBK

Large ergonomic carving knife that's responsive in your hand. Comes serrated with a black handle.

Carving Knife K03SBK			
Blade Steel	MBS-26	Blade Length	8 1/16" 205mm
Edge Type	SpyderEdge	Overall Length	13 1/4" 336mm
Weight	4.0oz 115g		

Utility Knife

K04

Flat-ground, spearpoint style blade that's thin and flexible to pass easily through food. Available in a PlainEdge and SpyderEdge with a black or blue handle.



Small Utility Knife

K05

Smaller version of our K04. It will become your preferred kitchen knife... guaranteed. Available in a Plainedge or SpyderEdge with a black handle. Also available with a red handle with a SpyderEdge.



Utility Knife K04	
Blade Steel.....	MBS-26
Blade Length.....	6 1/2" 162mm
Edge Type.....	PlainEdge, SpyderEdge
Overall Length.....	10 7/8" 275mm
Weight.....	2oz 57g

Santoku

K08PBK

The Santoku is a Japanese-style cook's knife, similar in many ways to a butcher's knife. It's colossal enough to chop, dice and de-bone whole fruits, vegetables and roasts. Available with a black handle and PlainEdge.



Small Utility Knife K05	
Blade Steel.....	MBS-26
Blade Length.....	4 1/2" 116mm
Edge Type.....	PlainEdge, SpyderEdge
Overall Length.....	8 7/8" 225mm
Weight.....	1.5oz 43g

Paring Knife

K09PBK

The bomb for intricate or artsy food preparation. It is scalpel-like for precision cutting such as pitting, peeling and paring. Comes in PlainEdge with a black handle.



Santoku K08PBK	
Blade Steel.....	MBS-26
Blade Length.....	6 7/8" 174mm
Edge Type.....	PlainEdge
Overall Length.....	12 1/8" 307mm
Weight.....	5oz 140g

Paring Knife K09PBK	
Blade Steel.....	MBS-26
Blade Length.....	2" 51mm
Edge Type.....	PlainEdge
Overall Length.....	5 1/2" 140mm
Weight.....	0.7oz 20g

PROMOTIONAL

Display Tower

CT01

Displaying your products in their best light increases your sales, no doubt about it! The Spyderco tower display case, parades eight knives in their open position and room for a 204 Sharpmaker in the bottom. Made of clear acrylic, it gives your customer a 360° view of what's inside. The Tower locks by means of an arm-lever locking bar (keys included) allowing you to leave your stock on a countertop without the fear of it "sprouting legs and walking away". An 8 1/2 by 11 inch acrylic page frame snaps to the top for signage.



Large & Small Knife Stands

CT02 / CT03




Little jewels. An attractive and original way to display your Spyderco stock. Each gem is multifaceted in a diamond shape, created out of sparkling clear Lucite that catches and reflects prisms of light. The Spyderco logo bug is engraved on the underside. An open knife blade fits into a slot propping the knife up at a 45° angle for visible presentation. Available in two sizes: Small (2 1/2 inch), large (3 1/2 inch).



Countertop Point of Purchase Display

POP

Putting our knife in a customer's hand can make the sale. Our new counter top display lets the customer pick up a non-sharpened Spyderco knife, feel it in their hand and check out its features. Made of stainless steel with non-skid feet, it stands 14 inches high, 12 inches wide and comes with a knife attached to a theft-proof chain. Also included is an information card for the knife being displayed.



The Spyderco Story

For the true and serious Spyderco Knife Knut. The Spyderco Story by Ken Delavigne covers: The history of Spyderco and its arrival onto the knife scene, manufacturing techniques, design development of models, materials and elements, business philosophies and more than you can imagine. Published by Paladin Press, it's 302 pages chock full of information and photos.

Glossary

ABS: A thermoplastic polymer used for its' high impact strength.

Almite: A coating used on aluminum handles similar to anodizing. Resistant to scratching and marring , it can also be tinted to any color for visual appeal.

Alumina Ceramic: The compound used for Spyderco sharpening stones. It is a ceramic-bonding agent mixed with alumina particles (synthetic sapphires), shaped, then kiln fired at temperatures in excess of 3000 degrees F.

Ambidextrous: Using both hands with equal ease. Pertaining to knives, it is a knife that is not solely designed for a left-or right-handed person but can be used with equal ease by both hands.

Anodized Aluminum: Subjecting aluminum to electrolytic action which coats the aluminum with a protective and decorative film.

Batch: Refers to a knife model that is made in small numbers. A Spyderco batch is 1200 pieces and if the model is received well another batch or more will be produced.

Bi-Directional Texturing: A texture molded into a FRN handle, which is a series of graduating, sized forward and backward steps that radiate outward from the center of the handle. This texture provides resistance to slipping and sliding when gripped in the hand.

Carbon Fiber: Graphite fibers (the size of a human hair) are woven together and fused in epoxy resin. It's lightweight, three-dimensional in appearance and is a superior (and expensive) handle material.

Choil: A cut out, molded or formed area where the handle and blade meet which positions/guards the index finger while gripping the opened knife.

CLIPIT: Spyderco's term for their line of folding knives which feature a pocket clip. A CLIPIT fan is often called a CLIPITEER. Okay we know it's corny, but true.

Clip-Point Blade: A blade, ground on the top (spine) in an angled or sweeping line downward. The underside (where the sharpened edge is) is ground upward. The two angles meet at the tip and where the angles meet determines the depth of the blade's belly.

Cobra Hood: A machined flange of steel positioned over the Spyderco round opening hole on the spine of the blade which directs/positions your thumb over the hole for quickly opening the knife blade. See Spyderco C71 Salsa.

ComboEdge: Blade that is partially serrated, partially plainedge.

Compression Lock: Locking system located on the top of the blade spine which functions by having a liner deposit a section of metal between the stop pin (anvil pin) and the blade tang. The section of metal is compressed making an incredibly strong locking mechanism.

David Boye Dent: Custom knifemaker David Boye removed a small arc or dent of metal from the top locks of his knives. This removed piece lessened the possibility of gripping the handle hard enough to depress the lock and accidentally unlock the blade while using the knife.

Detent: a minute divot or dimple machined into the blade tang. A ball bearing drops into the detent hole when the knife is in the closed position, holding the knife blade closed inside the handle.

ELU: Acronym for "end-line user", the consumer who uses Spyderco knives and sharpeners.

Embellishment: Term used to describe personalized engraving or additional ornamentation added to a knife after it is manufactured.

Ergonomics: The applied science of equipment design intended to maximize productivity by reducing operator fatigue, safety and discomfort. Knives which are designed to be comfortable and less fatiguing to use are labeled "ergonomic."

Fiberglass Reinforced Nylon Resin (FRN) : A nylon polymer mixed with glass fiber that is then injected into a mold for making lightweight knife handles.

G-10: Handle material made of epoxy filled with woven glass fiber that is impervious to changes in temperature and can be tinted into many colors.

Hamaguri Grind: (also called Appleseed Grind or Moran Grind): is a convex grind.

Hawkbill Blade: Blade shaped in a sharply curved hook like the talon of a raptor. The inside edge of the blade is

Glossary

sharpened and works particularly well for commercial fishermen who reach out and pull toward them while cutting line, webbing and netting.

Indexing: "Locating" mark, also used for controlled rotation of the open knife, while gripped in the palm, from one hand-hold to another, e.g., rotating from a forward grip to a reverse grip.

Kick: The unsharpened portion along the underside of the knife blade where the edge begins. Keeps the blade "kicked out" so the edge does not hit the back spacer.

Kinetic Opener: A horn or protuberance on the top portion of a knife blade by which the blade may be opened when leveraged against something solid, i.e. an opponent's body. Similar to the opening devices found on straight razors.

Kraton: A rubbery thermoplastic polymer used as a flexible inlay on knife handles for enhanced grip.

Kydex: A thin thermoplastic commonly used for firearm holsters and knife sheaths. It is flexible, thin, resistant to sweat, chemicals, oils and solvents. It is shaped by heat and retains its' set form.

MBC: An acronym for Martial Blade Craft. MBC is the practice of combative arts for self-protection, physical conditioning and control and coordination of the body. MBC's ultimate goal is to train professionals to "stop the bad guy from hurting innocents." Spyderco's founder believes MBC will find a presence in the Olympics among Judo and fencing.

Micarta: A composite of linen or paper fabric in an epoxy resin. It is incredibly lightweight, durable and visually appealing. It can be bead blasted or polished, changing its appearance.

Mother of Pearl: The colored opaline inside of a clamshell. This translucent layer is affixed by Spyderco to G-10 for use in embellishing knife handles.

Phantom Lock: A pressure release locking system used on the Spyderco MeerKat, model C64. The lock is released by positioning your thumb on the butt end of the handle over the Spyderco bug, and two fingers on the back side of the handle then scissoring the two sides in opposite directions.

PlainEdge: A sharpened knife blade with no serrations or teeth. Sometimes called a smooth blade.

Reverse "S" Blade: Blade shape resembling a backward S with the tip curving downward. The deep belly (thickest part of the blade) curves in the same direction as the tip. See C12 Civilian page 18.

Scale: A knife handle made of scales or slabs of material that are riveted, screwed or bonded together.

Sermollan: A rubberized plastic used on kitchen knife handles that offers a secure grip and resistance to bacteria.

Sheepfoot Blade: A blade with a round, blunt tip that has no fine point. The design inhibits accidental stabbing while working in emergency situations, around livestock and inflatable boats.

Sprint Run: A limited, one time only, production of a knife design/model. Production numbers are less than 1000 pieces.

SpyderEdge: Spyderco's two-step serration pattern of one large and two small serrations. This pattern actually increases the cutting edge by 10%.

Spyderco Trademark Round Hole™: Round hold located in the knife blade used for one-hand opening and closing of a knife blade.

Tang: The portion of the blade where it connects to the handle.

Tek-Lok: Detachable polymer clip mounted onto some of Spyderco's Kydex sheaths which can be situated to carry the knife in five different carry positions: vertical, inverted, cross-draw, small of back or horizontal position.

Titanium: A non-ferrous metal with high tensile strength is lightweight and resistant to corrosion. Often used for handle material it can be colored through an electronic process called 'bluing'.

Trainer: A red-handled non-sharpened knife used for training and practice purposes.

Volcano Grip: Our trademarked name for the waffle texture found in our FRN handled lightweight knives. The continuous pattern of small squares offer better hand grip while cutting.

Edge-U-Cation

Spyderco knives are an investment. Knives are designed to perform one particular function, that is cutting. With that in mind Spyderco uses high-carbon steel exclusively. High-carbon premium steels provide superior edge retention but can rust if not correctly cared for (rust is rarely the result of a manufacturing defect). Rust may form when your knife is used in a salt water environment or exposed to moisture in general. If surface rust appears, buff the steel with a metal polishing compound before the steel becomes pitted. Thoroughly rinse salt water off with fresh water, dry your knife completely (inside and out) and apply a light coat of oil or silicone to all steel parts. To ensure safe operation regularly inspect the interior of the knife for pocket lint and grime. Clean both the well of the lock and inside of the handle often using a toothpick, hot water and a mild soap or detergent. Rinse thoroughly, dry the knife inside and out and lubricate all steel components with oil or silicone. A couple drops of lubricant at the locking and pivot points will ensure smooth action.

Always Keep your Knife Sharpened

A sharp knife makes cutting easier and safer. The longer a knife goes without edge maintenance the more difficult sharpening becomes. You can easily uphold your factory edge (plain and serrated) at home with Spyderco's Tri-Angle Sharpener or ProFile set. You can also return your knife to Spyderco's corporate headquarters for complimentary sharpening for as long as you own it. The charges involved in shipping the knife to us are the responsibility of the owner. If we determine that your edge is irreparable or damaged beyond our repair abilities our Warranty and Repair Department will contact you.

Our Warranty

If you have not seen our warranty policy for awhile or would just like an update.....read on. We make high-performance quality products. If you have problems with any Spyderco product, we would like to hear about it. Your input and questions are important to us. Knives are designed as cutting tools. Use of your knife for any purpose other than cutting is considered abuse. As with any tool, you may exploit their value prematurely or they may fail to perform if not used or cared for properly. Spyderco warrants that all of our products are free from defects in material and workmanship. Spyderco's warranty does not cover damage caused by abuse, misuse, improper handling, alteration, accident, neglect, disassembly, or improper sharpening. If a knife fails to function as it was designed we will examine its condition upon its return to us, identify why it failed and respond in an appropriate manner. If we determine that there

is a defect in the manufacture or materials we will gladly repair, or replace that product with the same model or one of equal value. If the problem is determined not to be caused by defects in manufacture or materials we will inform you of the cost for repair. Upon agreement and payment we will perform the repair. If we are unable to improve the condition of the knife, we will return it to you with the recommendation that it be retired from use. Please direct all inquires regarding warranties to our mailing address, toll free number, fax, email or URL. Packages directed to Spyderco should be sent UPS or registered mail (for tracking purposes should your knife fail to arrive at our offices). Please include your complete name, UPS deliverable street address (no P.O. boxes please), daytime phone number and a description of the concern. Outbound warranty shipments from Spyderco will be returned to the dealer or retail customer as directed. All costs associated with the shipment of the product are the responsibility of the customer.

Phone: 800-525-7770 or 303-279-8383

Fax: 303-278-2229 or 303 277-1429

Spyderco Inc.

Attention: Warranty and Repair
20011 Golden Gate Canyon Road
Golden, Colorado 80403

Email: custsvc@spyderco.com

www.spyderco.com

Patents & Trademarks

The following marks are recognized trademarks of Spyderco, Inc.: Advntr, Black Hawk, Calypso, Calypso Jr., Catcherman, Civilian, Clip-Kit, CLIPIT, CoPilot, Cricket, Delica, Delica II, Double Stuff, Dragonfly, Dyad, Dyad Jr., Edge-U-Cation, Endura, Endura II, Evolution Edition, Executive, Galley "V", Harpy, Hummingbird, Hunter, Jester, LadyBug, LadyBug II, LBK, Mariner, Merlin, Military Model, Mini Dyad, Mini Mariner, Mini Probe, Native II, Navigator, Pegasus, PlainEdge, Police Model, Pre-Diver, Probe, Pro Culinaire, ProFile, Pro-Grip, Pro-Venator, "Q", Remote Release, Renegade, Rescue, Rescue Jr., Rookie, SecureLock, SecurLok, Snap-It, Solo, Speed Sleeves, SpringClip, SpringLock, Spur, Spyderco Trademark Round Hole, SpyderEdge, Spyderkey, SpydeRench, Standard, Starmate, Tri-Angle Sharpener, Volcano Grip, and Worker. The following slogans are recognized trademarks of Spyderco, Inc.: "First We Made Things Sharp... Then We Made Sharp Things", "High Performance Matter Separators", "Integrity is Being Good Even if No One is Watching", "Quality is the Product of a Good Attitude", and "Those Who Know Carry Spyderco". The following marks, designs and slogans are registered trademarks of Spyderco, Inc.: G. Sakai, Native, Spyderco, Spyder Bug Design, Round Hole Design, and "All God's Critters Have Knives". Spyderco, Inc. products are covered by one or more of the following patents: D333081, D333251, D337253, D344006, D349837, D353988, D379294, D381060, D382189, D382459, D386664, D387966, D388150, D389389, D389718, D391465, D401129, D402177, D402178, D402524, D403567, D404990, D406038, D411431, D411790, D418383, D419336, D421378, D422871, D422875, D425391, DE3041584A1, DE3834295A1, DE49910779, GB2084058, JAP999819, JAP999820, JAP2661729, T92628, T64596, T64645, T102268, T105780, 1130567, 4070011, 4231194, 4347665, 4640058, 4776094, 5379492, 5432968, 5580019, 5615484, 5628117, 5689890, 5704129, 5799400, 5884467, 5920935, 5928069, 5983506, and 5964036. Other U.S. and foreign patents pending.

Cordura, CPM, Crucible, Kevlar, KRATON, Kydex, Linerlock, Micarta, Tek-Lok & 440V are registered trademarks of their respective holders.

Michael Walker is the inventor of the ball bearing detent that is used to keep the blade in a Linerlock closed. H. McBurnette and Al Mar are credited with the positive front lock design.

Copyright © 2002. All rights reserved. All product names, art and text herein are the property of Spyderco, Inc. and may not be reproduced in part or whole without the sole written permission of Spyderco, Inc.

Product Index - By Name

A - B	Endura C10/C10BK/C10TR16	Paring Knife K0923
Backpacker GS103 & GS10415	Fisher TA10315	Peter Herbst C536
Bench Stones 3022	Frank Centofante Vesuvius C668	Pocket Stones 303 & 305M2
Bill Moran Featherweight FB0113	Fred Perrin FB0414	Police Model C07/C07G18
Bill Moran Drop Point FB0213	G. Sakai15	ProFile 7013
Bird and Trout Series TA101-103 ..15		Profile Small 7023
Bob Lum C4619	H - L	Pro-Grip C13/C13BK.....12
Bob Lum Chinese Folder C658	Harpy C08S12	Q - R
Bob Lum Fixed Blade Tanto FB0314	Howard Viele C425	Rescue Jr. C45BK/C45OR.....19
Bram Frank Gunting C6820	James A Keating Chinook C6321	Road Runner TA10215
Bram Frank Gunting Trainer C68TR20	Jester JBK10	S - T
Bread Knife K0122	Knife Stand Large CT0224	Santoku K0823
C	Knife Stand Small CT0324	Salsa C719
Carving Knife K0322	LadyBug LBK9	Small Utility Knife K05.....23
Catcherman C1713	LadyBug II LBK II9	Snap-It C2613
Ceramic Files 400F3	Lil' Temperance C69.....21	SpyderCard SC0110
Civilian C12G18	M	SpydeRench T0111
Cooks Knife K0222	Massad Ayoob C60.....20	Temperance Fixed Blade FB0514
Counter Top Display POP25	Matriarch C12BK18	Temperance Trainer FB05TR21
Cricket C29BK4	MeerKat C647	The Spyderco Story25
D	Merlin C08BK12	Tim Zowada C566
D'Alton Holder Toad C576	Military Model C36GE19	Tri-Angle Sharpmaker 2041
Delica C11/C11BK/C11TR17	Mini Police Necklace MN07.....10	U - Z
Diamond Triangles 204D1	N - P	Utility Knife K0423
Display Tower CT0124	Native C41BK5	
Dragonfly C28/C28BK4	Native SS C41.....5	
Dyad Jr. C39BK.....4	Navigator C627	
E - G	Pack Rat TA10115	
Eduard Bradichanski Shabaria C59 ..7		

Product Index - By SKU

204MF Tri-Angle Sharpmaker1	C41BK Native5	FB05 Temperance Trainer21
204D Diamond Sleeves1	C42 Howard Viele5	GS103 Backpacker15
302 Bench Stones2	C45BK/OR Rescue Jr.19	GS104 Backpacker15
303 Pocket Stones2	C46 Bob Lum19	JBK Jester10
305M Pocket Stone.....2	C53 Peter Herbst6	K01 Bread Knife22
400F Ceramic Files.....3	C56 Tim Zowada6	K02 Cook's Knife22
701 ProFile3	C57 D'Alton Holder Toad6	K03 Carving Knife22
702 Small ProFile.....3	C59 Shabaria7	K04 Utility Knife.....23
C07 Police Model18	C60 Massad Ayoob20	K05 Small Utility Knife23
C08S Harpy12	C62 Navigator7	K08 Santoku23
C08BK Merlin.....12	C63 James A. Keating Chinook21	K09 Paring Knife23
C10/C10BK/C10TR Endura16	C64 MeerKat7	LBK LadyBug9
C11/C11BK/C10TR Delica17	C65 Bob Lum Chinese Folder8	LBK II LadyBug II.....9
C12G Civilian18	C66 Frank Centofante Vesuvius.....8	MN07 Mini Police Necklace10
C12BK Matriarch.....18	C68/C68TR Bram Frank Gunting.....20	POP Counter Top Display.....25
C13 Pro-Grip SS.....12	C69 Lil' Temperance21	SC01 SpyderCard10
C13BK Pro-Grip12	C71 Salsa.....9	T01 SpydeRench11
C17 Catcherman13	CT01 Display Tower24	TA101 Pack Rat15
C26 Snap-It13	CT02 Large Knife Stand24	TA102 Road Runner15
C28 Dragonfly SS.....4	CT03 Small Knife Stand24	TA103 Fisher15
C28BK Dragonfly4	FB01 Bill Moran Featherweight13	The Spyderco Story25
C29BK Cricket4	FB02 Bill Moran Drop Point13	
C36GE Military Model19	FB03 Bob Lum Fixed Blade Tanto14	
C39BK Dyad Jr.4	FB04 Fred Perrin Clip-Point Bowie14	
C41 Native SS5	FB05 Temperance14	

CAREE
WARRANTY
INDEX

